

TASNEE 100 Black

April 17th, 2022
Revision # 3

Safety Data Sheet

1/12

1. IDENTIFICATION OF THE SUBSTANCE / COMPANY INFORMATION

1.1 Product identifier

Trade Name	:	TASNEE 100 Black
Substance name	:	1-Butene, polymer with ethene
Chemical name	:	Polyethylene copolymer
Substance No.	:	25087-34-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses	:	FDA Class III medical devices; European class III medical Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications

1.3 Details of the supplier of the safety data sheet

Company	:	Saudi Ethylene and Polyethylene Company (SEPC)
Supplier	:	TASNEE Business Gate, Building # C3, King Khalid Int'l
Airport	:	Road P.O. Box 26707, Riyadh 11496, Kingdom of Saudi Arabia.
Registration number	:	NA
Telephone	:	00966 11 222 2205
E-mail address Responsible	:	
/Issuing person	:	marketing@tasnee.com

1.4 Emergency telephone number

00966 11 222 2205

2. HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

TASNEE 100 Black

April 17th, 2022
Revision # 3

Safety Data Sheet

2/12

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Chemical nature	:	Mixture
Chemical name	:	1-Butene, polymer with ethene
CAS-No. EC-No.	:	25087-34-7
Classification (REGULATION (EC) No 1272/2008)	:	Not Classified
Weight %	:	95.0 - 100.0 %
Contains	:	Additives and stabilizers

4. FIRST AID MEASURES

4.1 Description of first-aid measures

General advice	:	Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary, give Cardio-Pulmonary Resuscitation (CPR)
In case of skin contact	:	If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	:	Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists. In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material

TASNEE 100 Black

April 17th, 2022
Revision # 3

Safety Data Sheet

3/12

adherent to the eye(s).
Immediately seek medical attention.
If swallowed : Adverse health effects due to ingestion are not anticipated.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards : Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media : Small Fires:
Use dry chemical, CO₂, or water spray.
: Large Fires:
Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during Firefighting : Keep away from heat and sources of ignition.
In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information : Combustible particulate solid, will decompose under fire conditions.
Calorific Value: 8000 - 11000 kcal/kg

TASNEE 100 Black

April 17th, 2022
Revision # 3

Safety Data Sheet

4/12

Fight fire from safe distance with hose lines or monitor nozzles.

Heat from fire may melt, decompose polymer, and generate flammable vapors.

Move containers from fire area if it can be done without risk.

Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container.

Always stay away from tanks engulfed in fire.

Do not attempt to get on top of storage containers involved in fire.

Cool storage containers with large volumes of water even after fire is out.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions :
- Equip responders with proper protection.
 - Creates dangerous slipping hazard on any hard smooth surface.
 - Equip emergency responders with proper personal protective equipment (PPE)
 - Avoid generating dust
 - Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
 - Potential combustible dust hazard.
 - Polymer particles create slipping hazard on hard smooth surfaces.

6.2 Environmental precautions

- Environmental precautions :
- Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for containment /

Methods for cleaning up

- :
- On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.
 - On water, material is insoluble; collect and contain as any solid.
 - All recovered material should be packaged, labeled,

TASNEE 100 Black

April 17th, 2022
Revision # 3

Safety Data Sheet

5/12

transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.

7. Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling :
- Material is in a pellet form.
 - If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air.
 - Avoid dust accumulation in enclosed space.
 - Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard.
 - Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion
 - Electrostatic charge may build during conveying or handling.
 - Equipment handling polymer should be conductive and grounded (earthed) and bonded.
 - Metal containers involved in the transfer of this material should be grounded and bonded.
 - All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts.
 - After handling, always wash hands thoroughly with soap and water.
 - When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10.
- Fire-fighting class :
- Polymer will burn but does not easily ignite.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers :
- Store in a dry location.

TASNEE 100 Black

April 17th, 2022
Revision # 3

Safety Data Sheet

6/12

Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents.

Keep container closed to prevent contamination.

Take measures to prevent the buildup of electrostatic charge.

7.3 Specific end use(s) : See Section 1.2.

8. Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Occupationnel Exposure Limits

Components	CAS-No.	Type	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: non-specified (inert or nuisance) dust		TWA	10 mg/m ³ inhalable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non-specified (inert or nuisance) dust		TWA	3 mg/m ³ respirable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non specified		TWA	10 mg/m ³ inhalable	TRGS 900 (DE)	

TASNEE 100 Black

April 17 th , 2022 Revision # 3		Safety Data Sheet			7/12
(inert or nuisance) dust					
Materials that can be formed when handling this product: Non specified (inert or nuisance) dust		TWA	1.25 mg/m ³ respirable	TRGS 900 (DE)	

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product. Engineering controls, i.e., enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

- | | | |
|--------------------------|---|---|
| Respiratory protection | : | Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit, they must use appropriate certified respirators. |
| Hand protection | : | Wear gloves that provide thermal protection where there is a potential for contact with heated material. |
| Eye and face protection | : | Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product. |
| Skin and body protection | : | Wear suitable protective clothing |

TASNEE 100 Black

April 17th, 2022
Revision # 3

Safety Data Sheet

8/12

- Hygiene measures : Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.
- Use good personal hygiene practices.
- Wash hands before eating, drinking, smoking, or using toilet facilities.
- Take off contaminated clothing and wash before reuse.

Environmental exposure controls

- General advice : See section 6.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : Pellets.
- Color : Black
- Odor : Slight.
- Flash point : No Data Available.
- Lower explosion limit : The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.
- Upper explosion limit : Not applicable.
- Flammability (solid, gas) : Polymer will burn but does not easily ignite.
- Oxidizing properties : Not considered an oxidizing agent.
- Autoignition temperature : > 300 °C
- Decomposition temperature : not determined
- Melting point/range : 50 - 170 °C
- Boiling point/boiling range : Not applicable.
- Vapor pressure : Not applicable.
- Density : < 1 g/cm³
- Water solubility : Insoluble.
- Partition coefficient:
n-octanol/water : No Data Available.
- Viscosity, dynamic : Not applicable.

TASNEE 100 Black

April 17 th , 2022 Revision # 3	Safety Data Sheet	9/12
---	-------------------	------

Relative vapor density	:	Not applicable.
Evaporation rate	:	Not applicable.
Explosive properties	:	No Data Available.

9.2 Other information

Other information	:	No additional information available.
-------------------	---	--------------------------------------

10. Stability and reactivity

10.1 Reactivity

No known reactivity hazards.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Will not occur.
---------------------	---	-----------------

10.4 Conditions to avoid

Conditions to avoid	:	Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
---------------------	---	--

10.5 Incompatible materials

Materials to avoid	:	Material may be softened by some hydrocarbons.
--------------------	---	--

10.6 Hazardous decomposition products

Hazardous decomposition products	:	Not expected to decompose under normal conditions.
Thermal decomposition	:	Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity	:	Not classified
Acute inhalation toxicity	:	Not classified
Acute dermal toxicity	:	Not classified
Skin corrosion/irritation	:	Not a skin irritant.
Serious eye damage/eye irritation	:	Not an eye irritant. Mechanical irritation is possible.

TASNEE 100 Black

April 17th, 2022
Revision # 3

Safety Data Sheet

10/12

Respiratory or skin sensitization	:	Not classified
Chronic toxicity		
Carcinogenicity	:	Not classified
Germ cell mutagenicity	:	Not classified
Reproductive toxicity		
Effects on fertility /		
Effects on or via lactation	:	Not classified
Effects on Development	:	Not classified
Target Organ Systemic Toxicant		
- Single exposure	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
Target Organ Systemic Toxicant		
- Repeated exposure	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard	:	Not applicable.

12. Ecological information

12.1 Ecotoxicology Assessment

Short-term (acute) aquatic hazard	:	Not classified
Long-term (chronic) aquatic hazard:		Not classified

12.2 Persistence and degradability

Biodegradability	:	Not expected to be biodegradable.
------------------	---	-----------------------------------

12.3 Bioaccumulative potential

Bioaccumulation	:	This material is not expected to bioaccumulate.
-----------------	---	---

12.4 Mobility in soil

Mobility	:	no data available
----------	---	-------------------

12.5 Results of PBT and vPvB assessment

Result	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).
--------	---	---

12.6 Other adverse effects

Environmental fate and pathways	:	This material is not volatile and insoluble in water.
---------------------------------	---	---

TASNEE 100 Black

April 17th, 2022
Revision # 3

Safety Data Sheet

11/12

12.7 Other information

Additional ecological information: Ecotoxicity is expected to be minimal based on the low Water solubility of polymers.
No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.

13. Disposal considerations

13.1 Waste treatment methods

Product : All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.
Recycle if possible.

14. Transport information

Not regulated for transport

15. Regulatory information

15.1 International regulations

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
China	IECSC	Compliant
Japan ENCS	Japan ENCS	Compliant
Korea	KECI	Compliant
Philippines	PICCS	Compliant
Taiwan	TCSCA	Compliant

Contact marketing@tasnee.com or your local sales office for additional global inventory information.

15.2 Chemical safety assessment

No information available.

TASNEE 100 BlackApril 17th, 2022
Revision # 3**Safety Data Sheet**

12/12

16. OTHER INFORMATION**Material safety datasheet sections which have been updated:**

Revised Section(s): 1 to 16

Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists

ACGIH_BEIs - American Conference of Governmental Industrial Hygienists_Biological Exposure

Indices

ASTM - American Society for Testing and Materials

IECSC - Chinese Chemicals Inventory

PBT - Persistent, Bio accumulative and Toxic

REACH - Registration Evaluation and Authorization of Chemicals

SDS - Safety Data Sheet

SKIN_DES - Skin Designation

STEL - Short term exposure limit

STP - Standard Temperature and Pressure

TGD - Technical Guidance Document

TRA - Targeted Risk Assessment

TWA - Time-Weighted Average

UN - United Nations

Disclaimer

The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, TASNEE may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a TASNEE local representative or visit the TASNEE website at: <https://www.tasnee.com/en/products/petrochemicals/pipe>

The Trade Name referenced in section 1 is a trademark owned or used by the TASNEE family of companies.